

## Protect Your Pet from Common Household Dangers

The Humane Society of The United States -- [www.hsus.org/pets/pet\\_care](http://www.hsus.org/pets/pet_care)

Many common household items can pose a threat to animal companions. Even some items specifically meant for pets could cause health problems. To protect your pet, simply use common sense and take the same precautions you would with a child. Although rodent poisons and insecticides are the most common sources of companion animal poisoning, the following list of less common but potentially toxic agents should be avoided if at all possible:

- **Antifreeze** that contains ethylene glycol has a sweet taste that attracts animals but is deadly if consumed in even small quantities; one teaspoon can kill a seven-pound cat. The HSUS recommends pet owners use a safe antifreeze in their vehicles. Look for antifreeze that contains propylene glycol, which is safe for animals if ingested in small amounts. Ethylene glycol can also be found in common household products like snow globes, so be sure to keep these things out the reach of animals.
- Cocoa mulch contains ingredients that can be deadly to pets if ingested. The mulch, sold in garden supply stores, has a chocolate scent that is appetizing to some animals.
- Chemicals used on lawns and gardens, such as fertilizer and plant food, can be easily accessible and fatal to a pet allowed in the yard unsupervised.
- Cedar and other soft wood shavings, including pine, emit fumes that may be dangerous to small mammals like hamsters and gerbils.
- **Chocolate** is poisonous to dogs, cats, and ferrets.
- De-icing salts used to melt snow and ice are paw irritants that can be poisonous if licked off. Paws should be washed and dried as soon as the animal comes in from the snow. Other options include doggie boots with Velcro straps to protect Fido's feet, and **making cats indoor pets**.
- Insect control products, such as the insecticides used in many over-the-counter **flea and tick remedies**, may be toxic to companion animals. Prescription flea and tick control products are much safer and more effective. Pet owners should never use any product without first consulting a veterinarian.

- Fumes from nonstick cooking surfaces and self-cleaning ovens can be deadly to birds. Always be cautious when using any pump or aerosol spray around birds.
- Human medications such as pain killers (including aspirin, acetaminophen, and ibuprofen), cold medicines, anti-cancer drugs, anti-depressants, vitamins, and diet pills can all be toxic to animals. Keep medication containers and tubes of ointments and creams away from pets who could chew through them, and be vigilant about finding and disposing of any dropped pills.
- Leftovers such as chicken bones easily shatter and can choke a cat or dog. Other human foods to keep away from pets include onions and onion powder; alcoholic beverages; yeast dough; coffee grounds and beans; salt; macadamia nuts; tomato, potato, and rhubarb leaves and stems; avocados (toxic to birds, mice, rabbits, horses, cattle, and dairy goats); and anything with mold growing on it.
- **Poisonous household plants** include azalea, geraniums, dieffenbachia (dumb cane), lilies, mistletoe, and philodendron, among others.
- Rawhide doggie chews may be contaminated with *Salmonella*, which can infect pets and humans who come in contact with the chews. These kinds of chews should be offered to a pet only with supervision, as they can pose a choking hazard as well.
- String, yarn, rubber bands, and even dental floss are easy to swallow and can cause intestinal blockages or strangulation.
- Toys with removable parts—like squeaky toys or stuffed animals with plastic eyes—can pose a choking hazard to animals. Take the same precautions with pets as you would with a small child.

For more information about common household dangers, see [The American Veterinary Medical Association's Pet Owner's Guide to Common Small Animal Poisons](#).

The HSUS recommends that pet owners use all household products with caution and keep a pet first-aid kit and manual readily available. The HSUS puts out a first-aid book in conjunction with the American Red Cross entitled *Pet First Aid: Cats and Dogs*. If all of your precautions fail, and you believe that your pet has been poisoned, contact your veterinarian or emergency veterinary service immediately. Signs of poisoning include listlessness, abdominal pain, vomiting, diarrhea, muscle tremors, lack of coordination, and fever.

The **ASPCA Animal Poison Control Center** operates a hotline 24 hours a day, seven days a week at 888-426-4435 for a fee of \$45 per case. If you call, you should be prepared to provide the following information: the name of the poison your animal was exposed to, the amount and how long ago; the species, breed, age, sex, and weight of your pet; and the symptoms the animal is displaying. You'll also be asked to provide your name, address, phone number, and credit card information.